Date Prepared

MATERIAL SAFETY DATA SHEET

U.S. OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200/ILL TSDA Pa 38-20

1		
EMERGENCY TELEPHONE NO.		
(312) 226-6600		
TRADE NAME and SYNONYMS		
Red Brass (88-2.5-2-6.5-1) Oshalloy		
FORMULA		
ASTM C83450		

SECTION II - HAZARDOUS INGREDIENTS					
ELEMENT Copper Tin Lead Zinc Iron	<u>CAS NUMBER</u> 7440-50-8 7440-31-5 7439-92-1 7440-66-6 1309-37-1	PERCENTAGE 87.00 - 89.00 2.20 - 3.00 1.50 - 2.50 5.80 - 7.50 25 Max	<u>PEL</u> <u>OSHA 8-HR TWA MG/M3</u> 0.1 (Fume) 2 0.05 (Fume) 5 (Oxide Fume) 10 (Oxide Fume)	<u>TLV</u> <u>ACGIH 8-HR TWA MG/M3</u> 0.1 (Fume) 2 0.05 (Fume) 5 (Oxide Fume) 5 (Eume)	
Nickel	7440-02-0	.80 - 1.50	1	1	

	SECTION	III - PHYSICAL DATA	
BOILING POINT (F°)		SPECIFIC GRAVITY (H ₂ O=1)	8.83
Copper	4703		
Tin	4120	Molten state operating temperature is 1750 to 2350 F	
Lead	3137		
Zinc	1663		
Iron	5430		
Nickel	4900		

	SECTION IV - FIRE and EXPLOSIC	N HAZARD DATA			
FLASH POINT (Method used)		FLAMMABLE LIMITS	LEI	USI	
	N/A	(%V)	N/A	N/A	
EXTINGUISHING MEDIA					
	Dry chemicals or sand should be use	ed with molten metals.			
SPECIAL FIRE FIGHTING PROCEDURES					
	Fire Fighters should wear full protective clothing.				
					-
UNUSUAL FIRE AND EXPLOSION HAZARDS					
	DO NOT LISE WATER ON MOLTEN	METALS			
	DO NOT OUE WATER ON MOLTEN	NIL TALO.			
PAGE (1)	(CONTINUED ON REVERS	E SIDE)			

REV: 01/01/12

	SECTION V	- HEALTH HA	ZARD DATA	
ROUTE(S) OF ENTRY	INHALATION	SKIN	INGESTION	
	YES	NO	YES	
EFFECTS OF OVEREXPOSURE				
	SEE AT	TACHMENT I	TEMS 8, 17	10, 18, 9, 13
EMERGENCY AND FIRST AID PROCEDU	RES			
	SEE AT	TACHMENT I	TEMS 8, 17	10, 18, 9, 13

	SECTION VI - REAC	TIVITY DATA			
STABILITY	UNSTABLE		CONDITIONS TO AVOID		
	STABLE	х		N/A	
INCOMPATABILITY (MATERIAI	LS TO AVOID)				
		STRONG		S	
HAZARDOUS DECOMPOSITION	N PRODUCTS				
			N/A		
HAZARDOUS	MAY OCCUR			CONDITIONS TO AVOID	
POLYMERIZATION	WILL NOT OCCUR		Х	N/A	
			•		

SECTION VII - SPILL OR LEAK PROCEDURES
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED
Special care should be taken when handling molten metal. Always wear proper safety equipment.
Accumulations of dust should be vacuumed or wet-swept to prevent airborne exposure.
WASTE DISPOSAL METHOD
Metal turnings, chips, risers, grindings, etc. are recycled. If not recycled, dispose of material in accordance with the
requirements of 40 CFR subtitle C and other applicable federal, state, and local regulations.

	SECTION VIII - SPECIAL	FROTECTIONINF	ORMATION	
RESPIRATORY PROTECTION (SPECIFY TYPE)			
		NIOSH Certified (3	M 9920, etc.)	
VENTILATION	LOCAL EXHAUST	Х	SPECIAL	
	MECHANICAL (GENERAL)		OTHER	
PROTECTIVE GLOVES		EYE PROTI	ECTION	
Industr	ial Type		Safety Glasses/Goggles/Shields	
OTHER PROTECETIVE EQUIP	MENT			

SECTION IX - SPECIAL PRECAUTIONS
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING
Material in storage can become wet from condensation. It must be throughly dried
before adding to molten metal. See other sections, references and sources.

PAGE (2)

MATERIAL SAFETY DATA SHEET <u>ATTACHMENT</u>

- 1. ALUMINUM...... <u>EFFECTS OF EXPOSURE</u>: Fumes are a low health risk by inhalation. Defined as a nuisance by (ACGIH) <u>EMERGENCY & FIRST AID TREAMENT</u>: No medical treatment necessary.
- 2. ANTIMONY...... <u>EFFECTS OF EXPOSURE</u>: May cause irritation to skin/contact dermatitis. Inhalation can cause inflammation of the upper and lower respiratory tracts. Chronic poisoning symptoms are dryness of throat, nausea, headaches, sleeplessness, loss of appetite and dizziness. In acute severe poisoning there may be death from circulatory or respiratory failure or toxic hepatitis. <u>EMERGENCY & FIRST AID TREAMENT</u>: Remove from exposure and have biological monitoring under direction of physician.
- 3. BISMUTH...... EFFECTS OF EXPOSURE: No reported or recognized ill effects have been traced to bismuth metal. All reported toxicity data has been determined on soluble bismuth pharmaceuticals that are no longer used. EMERGENCY & FIRST AID TREATMENT: Remove from exposure. Place individual under care of a physician.
- 4. BERYLLIUM...... EFFECTS OF EXPOSURE: Enters the body almost entirely by inhalation and can cause systemic disease of long duration. Symptoms are weakness, easy fatigue and weight loss. <u>EMERGENCY & FIRST AID TREATMENT</u>: Remove from exposure. On overexposure obtain prompt medical care by a physician.
- CHROMIUM...... <u>EFFECTS OF EXPOSURE</u>: Can cause skin and mucous membrane irritation, dermatitis, chrome ulceration, perforation of the nasal septum, bronchial carcinoma, and adenocarcinoma. Listed NTP and IARC monographs. <u>EMERGENCY & FIRST AID TREATMENT</u>: Wash skin thoroughly after contact. Obtain medical care for chrome ulceration.
- 7. COBALT...... <u>EFFECTS OF EXPOSURE</u>: Inhalation of fume will produce systemic poisoning with myocardial disorders and irritant effects on the airways, eyes and digestive tract. Symptoms range from shortness of breath to coughing. <u>EMERGENCY & FIRST AID TREATMENT</u>: No antidote exists. Monitoring by a physician with particular attention to the cardiovascular system advisable.
- IRON...... <u>EFFECTS OF EXPOSURE</u>: Inhalation of oxide or dust can result in siderosis which causes a shortness of breath and coughing tendencies. EMERGENCY & FIRST AID TREATMENT: Remove from exposure and obtain medical attention.

- 11. MAGNESIUM...... EFFECTS OF EXPOSURE: Heavy exposure to fume may be irritating to eyes, nose and throat. Can cause metal-fume fever. <u>EMERGENCY & FIRST AID TREATMENT</u>: Eye wash station facilities should be used immediately. No contact lenses should be worn in this area.
- 12. MANGANESE...... EFFECTS OF EXPOSURE: Dusts in high concentration can cause irritation of the eyes and throat. May cause nose to bleed. Manganese fume fever is characterized by cold-like symptoms. Chronic exposure can affect the central nervous system. <u>EMERGENCY & FIRST AID TREATMENT</u>: On irritation wash thoroughly. On ingestion induce vomiting. Obtain medical attention.
- 13. NICKEL...... EFFECTS OF EXPOSURE: Potential sensitizer and may cause allergic reactions. Inhalation can cause hypertrophic rhinitis and nasal sinusitis. Excessive inhalation of nickel fumes has been associated with respiratory cancer. Listed NTP and IARC monographs. EMERGENCY & FIRST AID TREATMENT: Wash affected area after contact. Annual medical monitoring by a physician is recommended in areas where concentrations are greater than 15 ugNi/M3 TWA for a 40-hour workweek.

- 16. SILICON..... EFFECTS OF EXPOSURE: In a cold state silicon is not dangerous. EMERGENCY & FIRST AID TREATMENT: None necessary.
- 17. TIN..... EFFECTS OF EXPOSURE: Tin powder is moderately irritant to the eyes and airways. EMERGENCY & FIRST AID TREATMENT: Remove from exposure.
- ZINC...... <u>EFFECTS OF EXPOSURE</u>: Exposure to zinc oxide fume can cause metal-fume fever. Symptoms resemble influenza with chills and nausea. <u>EMERGENCY & FIRST AID TREATMENT</u>: Usually lasts less than 24 hours with no known treatment or lasting ill effects.

THE ABOVE INFORMATION IS PROVIDED FOR THE SOLE PURPOSE OF COMPLYING WITH THE U.S. OSHA HAZARD COMMUNICATION STANDARD, 20 CFR 1910.1200. THE INFORMATION IS GIVEN IN GOOD FAITH AND IS BELIEVED TO BE CORRECT, BUT WITHOUT GUARANTEE. WE DO NOT ASSUME RESPONSIBILITY FOR THE RESULTS OF ITS USE.

SOME OF THE SOURCES YOU MAY WISH TO CONSULT:

"Handbook of Hazardous Materials" (2nd Edition) . . Alliance of American Insurers

"Encyclopedia of Occupational Health & Safety" (Vol I & II) International Labour Office

"Threshold Limit Values for Chemical Substances in Work Environment" . . ACGIH